

Model	T293HST
Engine Manufacturer	Mitsubishi
Engine Model	S3L2
Engine HP(kw)-Gross	29(21.3)
PTO HP(kw)	21.8(16.4)
Rated engine speed	2800
Number of cylinders	3
Displacement-cu.in. (cc)	80.4(1318)
Air Cleaner	Dual Dry
Alternator	12V.50A
Fuel System Type	Indirect Fuel Injection

TVM TRACTORS



Powertrain	T293HST	Hydraulic system	T293HST	PTO	T293HST
Transmission type	HST	Pump type	Dual Gear Pump	PTO Type	Independent
Number of Speeds	Infinite / 2 Range			PTO Control	Electric/Hydro
MaxTravellingspeed,mph(km/h)	11.8(19)	Implement pump cap.gpm(L/Min)	5.2 (19.6)	PTO Mid (rpm)-Option	2000
Brakes	Wet Disc	Steering pump cap. gpm (L/Min)	2.6 (10)	PTO Rear (rpm)	540
Steering	Hydrostatic	Max Total flow gpm (L/Min)	7.8(29.6)	PTO Shaft Diameter in. (mm)	1 3/8 (35)
Clutch	N/A	Category, 3 Point Hitch	1		
		Hitch lift capacity, lb. (kg)	1534(700)		
		at 24 inches behind link ends, lb(kg)	1102(500)		
		Lift Control type	Position		
		Joy Stick Valve	Standard		
		No. of standard remote valves-option	1		

Capacities	T293HST	Dimensions	T293HST	Standards and Weights	T293HST
Fuel Tank, U.S. gal. (L)	6.6 (25)	Overall length, in. (mm) with 3P	107.8(2740)	Agricultural Front	-
Cooling system U.S. qt. (L)	9.3(8.8)	Overall width, in. (mm)	56.3(1430)	Agricultural Rear	-
Crankcase (with filter) U.S. qt. (L)	6.0(5.7)	Wheelbase, in. (mm)	58.3(1480)	Industrial Front	25x8.5-14
Trans & Hydr. System, U.S. gal. (L)	9.5(36)	Height to top of ROPS, in. (mm)	91.7(2330)	Industrial Rear	14x17.5
Front Axle qt. (L)	8.6(8.2)	Min. Ground Clearance, in. (mm)	9.8(250)	Roll Over Protection Standard	ROPS
		Min. Turn Radius, in (mm) with Brakes	96.2(2442)	Total Weight, lb (kg)	1980(898)
		Min. Turn Radius, in (mm) w/o brakes	102.8(2612)		

T233/T273/T293 Cabin	Cab
Height, in. (mm)	66.9 (1,700)
Width, in. (mm)	44.5 (1,130)
Length in. (mm)	54.7 (1,390)
Weight lbs (kg)	220.5 (100)
Working Lamps Front	2
Working Lamps Rear	1
Room Lamp	Standard
Front Window Wiper	Standard
Doors	2
Floor sealing	Standard
Rear Window (Open/Close)	Standard
Heater (Front Air Vent)	2 Outlets

TM TRACTORS

